

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/839,205	04/23/2001	Roman Vitenberg	109335	3742
24505	7590 09/08/2004		EXAM	INER
DANIEL J SWIRSKY			VARTANIAN, HARRY	
PO BOX 2345 BEIT SHEME			ART UNIT	PAPER NUMBER
ISRAEL	~, · · · · · ·		2634	

DATE MAILED: 09/08/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	AL		
Office Action Summary		09/839,205	VITENBERG, RO	VITENBERG, ROMAN		
		Examiner	Art Unit			
		Harry Vartanian	2634			
	The MAILING DATE of this communication a	ppears on the cover sheet wit	th the correspondence ac	ldress		
Period for						
THE - External after of the control	MORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION ensions of time may be available under the provisions of 37 CFR 1 r SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a report of period for reply is specified above, the maximum statutory period reply within the set or extended period for reply will, by staturely received by the Office later than three months after the mailined patent term adjustment. See 37 CFR 1.704(b).	I. 1.136(a). In no event, however, may a resply within the statutory minimum of thirty d will apply and will expire SIX (6) MON te, cause the application to become AB.	eply be timely filed y (30) days will be considered timel THS from the mailing date of this c ANDONED (35 U.S.C. § 133).	iy. ommunication.		
Status				:		
1) 又	Responsive to communication(s) filed on 23.	April 2001.				
2a)□		nis action is non-final.		•		
3)⊠ Since this application is in condition for allowance except for formal matters, prosecution as to the merits						
,	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
D:i4	itan of Claims					
Disposition of Claims						
4)⊠	4)⊠ Claim(s) <u>15-27</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
·	6) Claim(s) is/are rejected.					
·	7) Claim(s) 15-27 is/are objected to.					
8)	Claim(s) are subject to restriction and	or election requirement.		•		
Applicat	tion Papers					
9)⊠ The specification is objected to by the Examiner.						
10)⊠	10)⊠ The drawing(s) filed on <u>23 April 2001</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	The oath or declaration is objected to by the B	Examiner. Note the attached	Office Action or form P	ГО-152.		
Priority :	under 35 U.S.C. § 119					
•	Acknowledgment is made of a claim for foreig	an priority under 25 II S.C. S.	110(a) (d) or (f)	:		
	⊠ All b) Some * c) None of:	gn priority under 35 0.5.6. §	1 19(a)-(u) or (1).	:		
a)		nts have been received	,			
 1. ☐ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 						
	3. Copies of the certified copies of the pri	•	· • — — —	Stage		
	application from the International Bure	·		:		
* See the attached detailed Office action for a list of the certified copies not received.						
				:		
Attachmer	• •			:		
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
	er No(s)/Mail Date <u>2/03, 7/01</u> .	6) Other:	 ·			

Application/Control Number: 09/839,205

Art Unit: 2634

Detailed Action

Drawings

- 1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 273. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- The drawings are objected to because paragraph 0042(see USPUB version of application) reads "connected to telephone line 117 by microfilter 219". The drawings show the microfilter as <u>item 119 NOT 219</u>. Moreover, paragraph 0068 reads "In step 278 the sampling of the PCM encoder is synchronized..." This step is shown to be <u>item 355 in figure 9 NOT 278</u>. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be

Application/Control Number: 09/839,205 Page 3

Art Unit: 2634

removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 163, 165, and 167 in paragraph 0064. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The disclosure is objected to because of the following informalities: Paragraph 0070, line 16 reads "signal into a 65 kbit/sec sequence". This looks like a typo that should read 64 kbit/sec.

Application/Control Number: 09/839,205

Art Unit: 2634

Appropriate correction is required.

Claim Objections

4. Claims 15-27 are objected to because of improper antecedent basis.

Regarding Claim 15, please define the variable "n" in the claim. For instance, "n is an integer".

Regarding Claim 15, please define the acronym QAM as Quadrature Amplitude Modulation(QAM).

Regarding Claim 16, please make the following change "assigned portion of <u>other</u> carriers for data conveyance..."

Regarding Claim 18, please make the following change "comprising converting said <u>at</u>

<u>least one</u> voice signal to a..."

Regarding Claim 18, please define PCM the acronym as Pulse Code Modulation.

Regarding Claim 20, please make the following change "assigned portion of <u>other</u> carriers for data carrying..."

Regarding Claim 21, please define the acronym DMT as Discrete Multi-Tone(QAM).

Regarding Claim 21, please define the variable "n" in the claim. For instance, "n is an integer".

Regarding Claim 21, please define the acronym QAM as Quadrature Amplitude Modulation(QAM).

Regarding Claim 22, please define PCM the acronym as Pulse Code Modulation.

For the remainder of the claims, since independent claims 15 and 21 are object to their dependents are also objected. These objections can all be overcome by correcting the parent claims.

Appropriate correction is required.

Allowable Subject Matter

1. Claims 15-27 would be allowable if the above objections are overcome. The following is an examiner's statement of reasons for allowance: In Claims 15 and 21 the prior art failed to teach the limitation:

"converting said sequence of n-bit digital words into at least one sequence of n-bit QAM symbols where each QAM symbol has a real component constituted of odd bits of said n-bit digital words and an imaginary component constituted of even bits of said n-bit digital words;"

Moreover, the prior art failed to teach the specifics of integrating digital voice signals among data carriers for DMT as claimed in 15 and 21.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/839,205 Page 6

Art Unit: 2634

Conclusion

1. This application is in condition for allowance except for the following formal matters:

See above objections.

Prosecution on the merits is closed in accordance with the practice under Ex parte

Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire TWO MONTHS

from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Harry Vartanian whose telephone number is 571.272.3048.

The examiner can normally be reached on 10:00-6:30 Mondays to Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Stephen Chin can be reached on 571.272.3056. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status information

for unpublished applications is available through Private PAIR only. For more information

about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on

access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-

217-9197 (toll-free).

Harry Vartanian Examiner

Art Unit 2634

HV

Application/Control Number: 09/839,205

Art Unit: 2634

STEPHEN CHIN SUPERVISORY PATENT EXAMINE

TECHNOLOGY CENTER 2800